



NAKAYAMA  
Co.,Ltd.

## ICT-compatible CE meter Casting Furnace Front Analyzer

# QCR-D's

QCR-1000/2000 successor model\*



Compact

Data storage

Lightweight

### Standard function

- Measuring of CE, C%, Si%
- Recharge calculation
- Recording of saved data  
(measurement result list display)

### Interface

- LAN, VGA, RS232
- Printer port
- 10 inch monitor

### Measuring Accuracy

CE :  $\pm 0.05$

C% :  $\pm 0.03$

Si% :  $\pm 0.06$

\* QCR-1000/2000 are discontinued

## Specification

Dimensions	H260 × W290 × D120 mm
Monitor	10 inch
Weight	approx. 4 kg
Storage media	SD card (External storage mounted on the main unit)
Measuring range	100-2450°F (JIS-K)
Operation	Dedicated keyboard (F1~F8)
Measuring accuracy	<ul style="list-style-type: none"> <li>• CE 2.30~4.80 : ±0.05</li> <li>• C% 2.50~4.00 : ±0.03</li> <li>• Si% 0.05~3.50 : ±0.06</li> </ul>
Accessories	<ul style="list-style-type: none"> <li>• Cup (with 5m cable)</li> <li>• USB conversion cable</li> </ul>

## Option

Measuring (Either one)	<ul style="list-style-type: none"> <li>• Immersion thermometer</li> <li>• 2-channel measurement (JIS-K×2)</li> </ul>
External I/O	<ul style="list-style-type: none"> <li>• Lamp output    • Buzzer output</li> <li>• Material selection switch</li> </ul>
ICT-compatible (Use TM-RW-QD)	<ul style="list-style-type: none"> <li>• Sending and receiving data with other PCs</li> <li>• Wireless thermometer data recording</li> </ul>



**Corresponding consumables**

Please refer to the catalog of consumables for measuring



**NAKAYAMA**  
Co.,Ltd.

■ **Head Office**

3-37-22 Kodama, Nishi-ku, Nagoya-City 451-0066 Japan  
Tel: +81-52-521-1171 Fax: +81-52-521-1180  
E-mail: nk-1972@nakayama-meps.co.jp

■ **Website;** <http://www.nakayama-meps.co.jp/>

■ **Eastern Japan business office**

Tel: +81-24-545-6588  
Fax: +81-24-544-6588

Feb. 2021 1st edition  
Sep. 2022 2nd edition