



NAKAYAMA
Co.,Ltd.

Immersion molten metal thermometer

HANDY-THERMO

Measurement time:

3~4 second

Automatic

peak hold

**Buzzer signal at after
the measurement**

**1,200 measurements
by one charge**

**Automatic
power off**

Battery Powered Thermometer

TM-3000



Exclusive battery

Exclusive battery charger

**Battery powered thermometer
with memory function**

TM-ZERO



Exclusive battery

Exclusive battery charger

TM-3000 TM-ZERO Feature

- Small and light handy type thermometer. Easy measurement of molten metal temperature.
- Auto peak hold with beep sound ensures displaying the max temperature.
- Automatic power-off function (1 minute).
- When the battery on the main unit is low, simply replace it with a charged one.
- Fast charge(1~1.5 h).
- Indicator is large red LED.
- Continuous 25 hour operation or up to 1200 measurements (in theory).
- Thermocouple type: B, S, R, K (standard: R) .

TM-ZERO Feature

- Easy recording of measurement up to 8,000 data.
- Data easily transferred to computer(Provided software).
- Battery is refreshed by a charge residual quantity.

specification

Type	TM-3000	TM-ZERO
Dimensions	Body : W80× H35×D130 mm Charger : W69× H42×D785 mm	Body : W80× H35×D130 mm Charger : W130× H50×D175 mm
Weight	Body :About 1kg Charger :About 0.3kg	Body :About 1kg Charger :About 1.3kg
Thermo sensor	Type-R thermocouple JIS C 1602	
Measurement range	0 ~ 1700°C / 0 ~ 3092°F : Switchable	
Accuracy	±(0.3% of rdg+1°C)	
Resolution	1°C (1°F)	
Reference contact point compensation	±1°C (0 ~ 100°C) / ±1°F(0 ~ 212°F)	
Indicator	Red LED character size: 14.2 ×10 mm sensor open or upper limit : Er-S batteries are low : Er-P	
Peak hold function	Holds the maximum data of increasing temperature(Buzzer signal).	
Power off function	Switches off the power when increasing temperature is not	
Batteries	Nickel hydrogen cell	
Recharging power source	AC100 ~ 240V	
Accessories	<ul style="list-style-type: none"> • Battery : 2set • Charger: 1set 	<ul style="list-style-type: none"> • Battery : 2set • Charger: 1set • Capture software (CD): 1set

The corresponding consumables

Please refer to the catalog of the thermometer consumables.



NAKAYAMA
Co.,Ltd.

■ **Haed Office** 3-37-22 Kodama, Nishi-ku, Nagoya-City 451-0066 Japan
Tel: +81-52-521-1171 Fax: +81-52-521-1180
E-mail: info@nakayama-meps.co.jp

■ **Website;** <http://www.nakayama-meps.co.jp/>

■ **Eastern Japan business office**

Tel: +81-24-545-6588 Fax: +81-24-544-6588

July, 2011 1st edition
April, 2016 4th edition